


Effects of COVID-19 on DSMES Services

- Variety of responses to PHE
- Decrease in referrals and participant engagement
- Increase in telehealth options
- Testing and vaccine responsibilities

Effects of COVID-19 on DSMES Services

DiabetesSmart Participant Numbers



Effects of COVID-19 on DSMES Services

- Loss of support team members
- Lack of access to interpreters
- Physical space
- No follow up data

Telehealth Barriers

- Connectivity
- Lack of participant interest in telehealth
- Level of comfort with technology
- Choosing a platform
- Extra support is needed

Success Stories

- Individual and Group Telehealth DSMES
- Working with Department of Aging
- Brown Bag Days
- Outside labs
- Partnering with home health agency

Beyond Type 1 Posters

warning signs of type 1 diabetes

EXCESSIVE THIRST

FREQUENT URINATION

BEDWETTING OR HEAVY DIAPER

VISION CHANGE + HEADACHES

RAPID WEIGHT LOSS

INCREASED APPETITE

IRRITABILITY + MOOD CHANGES

FATIGUE + WEAKNESS

STOMACH PAIN, NAUSEA + VOMITING

FRUITY BREATH ODOR

RAPID, HEAVY BREATHING

DKA MISTAKEN FOR
STOMACH FLU OR VIRUS
STREP THROAT
GROWTH SPURT
URINARY TRACT INFECTION



Contact Information

Corissa Payton, MA, CHES, EP-C

DSMES Quality Coordinator

NC Division of Public Health

Community and Clinical Connections for Prevention and Health Branch

919.707.5436

Corissa.Payton@dhhs.nc.gov